David S Kosson; Helms, Greg; Andrew Charles Garrabrants; Kariher, Peter To: Subject: Re: Summary of Agremax EPA report and AES comments for OSWER Mgt Date: Monday, March 11, 2013 12:55:19 PM Attachments: image001.gif (b) (5) We can talk more on Wed. From: Kosson, David S Sent: Monday, March 11, 2013 12:04:42 PM To: Thorneloe, Susan; Helms, Greg; Garrabrants, Andrew Charles; Kariher, Peter Subject: RE: Summary of Agremax EPA report and AES comments for OSWER Mgt Susan, (b) (5) David **From:** Thorneloe, Susan [mailto:Thorneloe.Susan@epa.gov] Sent: Monday, March 11, 2013 9:40 AM To: Helms, Greg; Kosson, David S; Garrabrants, Andrew Charles; Kariher, Peter Cc: Shores, Richard Subject: Re: Summary of Agremax EPA report and AES comments for OSWER Mgt (b) (5)

From:

Thorneloe, Susan

From: Helms, Greg

Sent: Monday, March 11, 2013 9:26:12 AM

To: Thorneloe, Susan; Kosson, David S; Andy Garrabrants

Subject: Summary of Agremax EPA report and AES comments for OSWER Mgt



Susan/David/Andy-



Gregory Helms U.S. EPA

Waste Characterization Branch

Office of Solid Waste and Emergency Response

phone: 703-308-8845 fax: 703-308-0514 helms.greg@epa.gov

Address for regular/USPS mail: 1200 Pennsylvania Ave. NW Mail Code 5304P Washington, DC 20460

Address for overnight/hand delivery mail: Two Potomac Yard 2733 S. Crystal Dr. 5th Floor; N-5611 Arlington, VA 22202

See OSWER's new LEAF leach test methods at:

http://epa.gov/wastes/hazard/testmethods/sw846/new_meth.htm

For an overview of hazardous waste regulation see the RCRA Orientation Manual, at: www.epa.gov/epawaste/inforesources/pubs/orientat/